



STANLY COUNTY LIVESTOCK MARKET

13215 Indian Mound Rd. Norwood, NC • www.NorwoodFeederCalf.com

2024 Weaned Sale Health Record Form

TWO pages - must complete both

Name cattle will be sold under: _____

Mailing Address: _____


City, State, Zip: _____

Telephone #: _____ Cell Phone #: _____

E-Mail: _____ Contact Person: _____

Weaned Sale Requirements

- Steers & Heifers • 400+ lbs (no maximum weight) • Tagged with official sale ear tag
 - Heifers guaranteed open • **Weaned for at least 60 days** • No horns
 - Two rounds of vaccinations must be given between **21 to 90 days prior to the sale**
 - Please remove all ear tags other than the sale tag prior to unloading at the barn
- VACCINATIONS** • 2 doses of Modified Live Respiratory vaccine for IBR-BVD-P13-BRSV
- 1 dose of Mannheimia Haemolytica (Pasteurella), can give with MLV vaccine
 - 2 doses of Clostridial (blackleg) vaccine • 1 dose of Haemophilus Somnus
 - Parasite Control (Dewormer) • Implants are optional



Tag calves in the RIGHT ear.

I. SALE DATE *Check ONE sale per form*

March 21 June 20 August 8 September 26 November 14

II. VACCINATION RECORDS

Check Yes or No

Have you completed the vaccination form on page two of this document? **YES** **NO**

III. BULL & BRED HEIFER STATEMENT

REQUIRED Initial this box to indicate you have read and understand the following statement -->

All bulls are to be completely castrated and healed. If an animal is a bull or a "stag," they will be rejected and can be picked up by the seller prior to the sale or will be sold at the end of the sale. Heifers must be guaranteed open. If a heifer shows to be bred on sale day, she will be sorted out and the seller can take the heifer home or she will be sold at the end of the sale. **If a graded heifer is checked by the buyer and is bred, the seller will be billed \$200/head.** (Buyer must provide appropriate documentation to receive the bred heifer credit).

IV. WEANED CALVES & FEED STATEMENT

REQUIRED Initial this box to indicate you have read and understand the following statement -->

I understand all animals must be **weaned a minimum of 60 days** prior to sale (March sale ONLY is 45 days). Anyone who does not abide by this will be prohibited from future Graded Feeder Calf Sales. It is highly encouraged to feed weaned calves in a bunk and to not overfeed (over-fleshy calves may be sold separately). A good free choice mineral program is highly encouraged for both the cow herd and weaned calves.

DATE WEANED: _____

V. OFFICIAL SALE EAR TAGS

Check Yes or No

Are calves tagged with an official sale ear tag prior to being delivered to the sale? **YES** **NO**

VI. SIGNATURE

I certify that the calves referenced on this form meet the Weaned Feeder Calf Sale requirements. I certify that all vaccines were given as stated on this form (pages 1 & 2) and administered according to label directions and BQA guidelines. I certify that the information on this form (pages 1 & 2) is true and accurate.

Signature

Printed Name

Date

2024 Weaned Feeder Calf Sale Health Form - Page 2

*Cattle must be vaccinated with at least two rounds of each required vaccine between 21-90 days before the sale. Follow label directions for time in between shots, but we recommend at least 21 days between the vaccine dates. ****Check each box beside the product given*****

| II-A. TWO doses of a respiratory modified-live viral (MLV) vaccine for IBR-BVD-P13-BRSV <i>*Can give Mannheimia Haemolytica (Pasteurella) with MLV vaccine through a combo vaccine</i> | |
|---|---|
| FIRST SHOT - CHOOSE ONE <i>Must be given 21-90 days prior to sale date</i> | BOOSTER SHOT - CHOOSE ONE <i>Must be given 21-70 days prior to sale date</i> |
| <input type="checkbox"/> Vista Once (Merck - MLV w/pasteurella) | <input type="checkbox"/> Vista Once (Merck - MLV w/pasteurella) |
| <input type="checkbox"/> Vista 5 (Merck - MLV) | <input type="checkbox"/> Vista 5 (Merck - MLV) |
| <input type="checkbox"/> Bovi-Shield Gold One Shot (Zoetis - MLV w/pasteurella) | <input type="checkbox"/> Bovi-Shield Gold One Shot (Zoetis - MLV w/pasteurella) |
| <input type="checkbox"/> Bovi-Shield Gold 5 (Zoetis - MLV) | <input type="checkbox"/> Bovi-Shield Gold 5 (Zoetis - MLV) |
| <input type="checkbox"/> Pyramid 5 (Boehringer Ingelheim - MLV) | <input type="checkbox"/> Pyramid 5 (Boehringer Ingelheim - MLV) |
| <input type="checkbox"/> Pyramid 5 + Presponse SQ (Boehringer Ingelheim - MLV w/past) | <input type="checkbox"/> Pyramid 5 + Presponse SQ (Boehringer Ingelheim - MLV w/past) |
| <input type="checkbox"/> OTHER: _____ | <input type="checkbox"/> OTHER: _____ |
| Date Administered: | Date Administered: |
| Vaccine Serial #: | Vaccine Serial #: |
| Expiration Date of Vaccine: | Expiration Date of Vaccine: |

| II-B. At least ONE dose of Mannheimia Haemolytica (Pasteurella) <i>*If given in combination with MLV vaccine within 70 days of the sale, please check this box --> <input type="checkbox"/></i> | |
|---|---------------------------------------|
| <i>Must be given 21-70 days prior to sale date. Our recommendation is to give as a combo vaccine listed under 11-A).</i> | |
| <input type="checkbox"/> Once PMH SQ or IN (Merck) | <input type="checkbox"/> OTHER: _____ |
| <input type="checkbox"/> One Shot (Zoetis) | Date Administered: |
| <input type="checkbox"/> Presponse HM (Boehringer Ingelheim) | Vaccine Serial #: |
| <input type="checkbox"/> Nuplura PH (Elanco) | Expiration Date of Vaccine: |

| II-C. TWO doses of Clostridial 7-way vaccine (Blackleg) <i>*ONE round of somnus is required. Recommend to give with blackleg as a combo or can give as a separate vaccine.</i> | |
|---|--|
| FIRST SHOT - CHOOSE ONE <i>Must be given 21-90 days prior to sale date</i> | SECOND SHOT - CHOOSE ONE <i>Must be given 21-70 days prior to sale date</i> |
| <input type="checkbox"/> Vision 7 (Merck) | <input type="checkbox"/> Vision 7 (Merck) |
| <input type="checkbox"/> Cavalry 9 (Merck) | <input type="checkbox"/> Cavalry 9 (Merck) |
| <input type="checkbox"/> Ultrabac 7 (Zoetis) | <input type="checkbox"/> Ultrabac 7 (Zoetis) |
| <input type="checkbox"/> Ultrachoice 7 (Zoetis) | <input type="checkbox"/> Ultrachoice 7 (Zoetis) |
| <input type="checkbox"/> Caliber 7 (Boehringer Ingelheim) | <input type="checkbox"/> Caliber 7 (Boehringer Ingelheim) |
| <input type="checkbox"/> Alpha 7 (Boehringer Ingelheim) | <input type="checkbox"/> Alpha 7 (Boehringer Ingelheim) |
| <input type="checkbox"/> OTHER: _____ | <input type="checkbox"/> OTHER: _____ |
| Date Administered: | Date Administered: |
| Vaccine Serial #: | Vaccine Serial #: |
| Expiration Date of Vaccine: | Expiration Date of Vaccine: |
| Somnus MUST be given with one of the above vaccines or as a separate shot. List which vaccine it is given with and the date given. | |
| <input type="checkbox"/> Vaccine: _____ | Somnus Date Administered: |

| II-D. Parasite Control (Dewormer) - One round is required. Second round is optional. | |
|--|---|
| <input type="checkbox"/> List Dewormer: _____ | <input type="checkbox"/> List Dewormer: _____ |
| Date Administered: | Date Administered: |
| Serial #: | Serial #: |

| II-E. *OPTIONAL* Implants |
|---------------------------|
| Date Administered: |
| Name of Product: |

This two-page form is required for all Weaned Graded Feeder Calf Sales at Stanly County Livestock Market. Bring the completed and signed form with you on sale day. If you sell in multiple sales, you must bring a copy to every sale.

2024 Feeder Calf Program Health Protocol

- Recommended Vaccination Plans -

Contact a feeder calf rep or your vet if you are unsure of which plan fits your cattle

Recommendation: Administer the first vaccines prior to or at weaning. Give booster shots (2nd dose) 3 to 6 weeks later. Both rounds of vaccinations must be given 21-90 days prior to the sale. If the first dose does not fall in this timeline, you may be required to give another round.

****Make sure all bull calves are completely castrated and healed. Heifers are required to be guaranteed open. Accidents can always happen so if you want to check your heifers, we recommend vet palpation, blood check, or giving a lutalyse (or similar drug) shot to help ensure nothing is bred.**



Example of Recommended Protocol

1st Round - Given at weaning (60-70 days prior to sale)

- Vista 5, Vision 7 with somnus, Dewormer, implants optional

2nd Round - Given 21-28 days later (32-49 days prior to sale)

- Vista Once, Vision 7, Dewormer (if needed)
- Put in sale tags and remove farm tags. If sale tags are in, make sure they are clean & legible

- Recommended to alternate Vista 5 and Vista Once vaccines or give Vista Once twice
- If giving Vista 5 and Vista Once, give somnus at the same time as Vista 5



Example of Recommended Protocol

1st Round - Given at weaning (60-70 days prior to sale)

- Bovi-Shield Gold 5, Ultrabac 7 w/somubac, Dewormer, implants optional

2nd Round - Given 21-28 days later (32-49 days prior to sale)

- Bovi-Shield Gold One Shot, Ultrabac 7, Dewormer (if needed)
- Put in sale tags and remove farm tags. If sale tags are in, make sure they are clean & legible

- Recommended to alternate BS Gold 5 & BS Gold One Shot vaccines or give BS Gold One Shot twice
- If giving different BS shots, give somnus at the same time as BS Gold 5



Example of Recommended Protocol

1st Round - Given at weaning (60-70 days prior to sale)

- Pyramid 5, Caliber 7, Somnus, Dewormer, implants optional

2nd Round - Given 21-28 days later (32-49 days prior to sale)

- Pyramid 5 + Presponse, Caliber 7, Dewormer (if needed)
- Put in sale tags and remove farm tags. If sale tags are in, make sure they are clean & legible

- Recommended to alternate Pyramid 5 and P5+Presponse vaccines or give P5+Presponse twice
- If giving different shots, give somnus at the same time as Pyramid 5

TIPS FOR VACCINE HANDLING & CATTLE WORKING

- Make sure all vaccines are given according to BQA standards. Vaccines not handled properly or given correctly result in decreased efficacy and decreased trust in the program from buyers.
- Vaccine should be transported in a sealed, refrigerated container that includes a cool pack.
- Always keep vaccine refrigerated or cooled when handling cattle. Do not leave exposed to direct sunlight.
- All unused and unmixed product should remain refrigerated and only be mixed immediately prior to use.
- **Mix only enough vaccine to be used in a 30-minute period.**
- Syringes should never be cleaned with disinfectant, only with water. Do not mix needles/syringes with antibiotics.
- When vaccinating/weaning/working cattle, be sure to avoid hot days if at all possible. If cattle must be handled on hot days, be sure to work them in the early morning hours using low stress handling techniques.
- If you have questions regarding how to properly give vaccines, contact us or your veterinarian.

For more information on the graded feeder calf sales, vaccination protocols, of which vaccine plan we would recommend for you, please contact any of the following sale representatives:

Marcus Harward • 704-322-0840

Bruce Shankle • 704-694-8686

Catherine Edwards • 704-550-7920

Brooke Harward • 704-322-9770